

Work Order ID 138341

Tuesday, October 27, 2015 11:26:46 AM

138341

Page 1

Item ID: D350-589-011

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Side Door Latch Modification

Start Date: 10/16/2015 Start Qty: 2.00 ***2***

Cust Item ID:

Required Date: 10/26/2015 Req'd Qty: 2.00 ***2***

Customer:

Reference:

Approvals: Process Plan: MLS Date: 10/27/2015 Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
INN-D350-589	E

100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy blue file and type label as per PPP D350-589-011 CHG002								

2x DAS 28 NOV 19 2015
9-89

105	Pick Kit	0.00							
-----	----------	------	--	--	--	--	--	--	--

105									
Packaging	Memo	0.00							
Packaging									

DAS 2 NOV 16 2015 DAS 28 9-89
6 9-89

110	QC4- 100% Inspect kits for completeness	0.00							
-----	---	------	--	--	--	--	--	--	--

110									
QC	Memo	0.00							
Quality Control									

2x DAS 28 NOV 19 2015
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Work Order ID 138341***138341***

Page 2

Tuesday, October 27, 2015 11:26:46 AM

Item ID: D350-589-011

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Side Door Latch Modification

Start Date: 10/16/2015 Start Qty: 2.00

2

Cust Item ID:

Required Date: 10/26/2015 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120		0.00							
120	Packaging					<u>2X</u>	<u>DAS</u> <u>28</u> <u>9-89</u>	<u>NOV 20 2015</u>	
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per QSI 014 Location :FG022								
	<i>Sold</i>								
130	QC21- Final Inspection - Work Order Release	0.00							
130						<u>MLJ</u>	<u>NOV 20 2015</u>		
QC	Memo	0.00							
Quality Control									
						<u>MLJ</u>	<u>NOV 20 2015</u>		

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐		No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐		Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐		Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐		Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐		Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐		Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐		Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐		Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐		Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐		Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐		Manufacturing Process	☐	OTHER :						
Misidentified	☐		Past Due	☐							

Picklist Print

Tuesday, October 27, 2015 11:26:46 AM

Page 1

Work Order ID: 138341

138341

Parent Item: D350-589-011

D350-589-011

Parent Item Name: Side Door Latch Modification

Start Date: 10/16/2015

Required Date: 10/26/2015

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP F02.08.29Removed D2587 PlugKJ
ALL AT CHANGE 002

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2237		Manufactured	No			105	Each	43.0000	3	6		DAS 6 9-89	DAS 26 9-89
2 *D2237* Striker Plate									**				
	DAS 26 9-89			<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST004		40				3			
				136090		40							
				ST005		3				3			
				128358		3				3			
D2583		Manufactured	No			105	Each	21.0000	3	6		DAS 6 9-89	DAS 26 9-89
2 *D2583* Latch Bracket									**				
	DAS 26 9-89			<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST481		21							
				135577		1				1X			
				136234		20				5X			
D2585		Manufactured	No			105	Each	32.0000	3	6		DAS 6 9-89	DAS 26 9-89
2 *D2585* Latch Clamp									**				
	DAS 26 9-89			<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST008		32				2			
				135617		14				4			
				136264	4	18							

NOV 16 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Picklist Print

Tuesday, October 27, 2015 11:26:46 AM

Page 2

Work Order ID: 138341

138341

Parent Item: D350-589-011

D350-589-011

Parent Item Name: Side Door Latch Modification

Start Date: 10/16/2015

Required Date: 10/26/2015

Start Qty: 2.00

Required Qty: 2.00

D2586

Manufactured No

105

Each

28.0000

3

6

**

138048

DAS
26
9-89

2 *D2586*

Door Latch

DAS
28
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

FG
114985
119746
95760
ST482
129404
ST483
135943

10
5
4
1
3
3
15
15

DAS
6
9-89

D2587

Manufactured No

105

Each

13.0000

1

2

**

2 *D2587*

Door Plug

DAS
28
9-89

Location

Loc Qty

Loc Code

ST008
132626
136188

13
1
12

DAS
6
9-89

DAS
26
9-89

D2589

Manufactured No

105

Each

18.0000

1

2

**

2 *D2589*

Keys, Key Chain

DAS
28
9-89

Location

Loc Qty

Loc Code

ST008
132942

18
18

DAS
6
9-89

DAS
26
9-89

NOV 16 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval				
Description Work Order Deviation				Disposition							
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		FAULT CATEGORY Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
		OTHER : ☐									

Picklist Print

Tuesday, October 27, 2015 11:26:46 AM

Page 3

Work Order ID: 138341

138341

Parent Item: D350-589-011

D350-589-011

Parent Item Name: Side Door Latch Modification

Start Date: 10/16/2015

Required Date: 10/26/2015

Start Qty: 2.00

Required Qty: 2.00

MS20470AD4-5

Purchased

No

105

Each

734.0000

6

12

DAS
26
9-89

2 ***MS20470AD4-5***
RIVET, UNIVERSAL HEAD

Location

Loc Qty

Loc Code

GA

713

m128401

701

m128813

12

ST310

21

m128813

21

DAS
26
9-89

MS21042L3

Purchased

No

105

Each

564.0000

3

6

DAS
26
9-89

2 ***MS21042L3***
Nut

Location

Loc Qty

Loc Code

FP001

334

M130922

334

GA

136

M131317

136

ST305

94

116549

12

126333

49

M128754

2

M132123

17

M132382

2

M132883

8

M133134

4

DAS
26
9-89

DAS
26
9-89
NOV 16 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step # : _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

Picklist Print

Tuesday, October 27, 2015 11:26:46 AM

Page 4

Work Order ID: 138341

138341

Parent Item: D350-589-011

D350-589-011

Parent Item Name: Side Door Latch Modification

Start Date: 10/16/2015

Required Date: 10/26/2015

Start Qty: 2.00

Required Qty: 2.00

MS27039-1-15

Purchased

No

105

Each

905.0000

3

6

MS27039-1-15

Screw

Location

Loc Qty

Loc Code

cck007a

800

m132640

600

m132701

200

GA

51

m127916

51

ST285

54

m127916

10

m130388

1

m132317

43

DAS
28
9-89

DAS
26
9-89

DAS
26
9-89

NAS1149D0363J

Purchased

No

105

Each

859.0000

3

6

NAS1149D0363.J

Washer

Location

Loc Qty

Loc Code

CA

246

m130799

246

GA

236

m130799

236

ST269

377

m126319

7

m131618

1

m132317

10

m132677

42

m133031

317

DAS
28
9-89

DAS
26
9-89

NOV 16 2015

DAS
26
9-89

Tuesday, October 27, 2015 11:26:46 AM

Shop Packet Print

Page 4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

REFERENCE ONLY

DAS
28
9-89

3.4 PARTS LIST

589 -011	589 -041	589 -042	589 -043	Part Number	Description
X				D350-589-011	SIDE DOOR LATCH MODIFICATION KIT
	X			D350-589-041	SIDE DOOR ASSEMBLY, LH AS 350
		X		D350-589-042	SIDE DOOR ASSEMBLY, RH AS 350/355
			X	D355-589-043	SIDE DOOR ASSEMBLY, LH AS 355
	1			D2991-1	Door
		1		D2991-2	Door
			1	D2991-3	Door
3	3	3	3	D2237	Striker Plate
	1	1	1	D2464-1700	Seal
3				D2583	Latch Bracket
3	3	3	3	D2585	Latch Clamp
3	3	3	3	D2586	Latch
1				D2587	Plug
1	1	1	1	D2589	Keys, Key Chain
	3	3	3	D2621	Latch Plate
	2**	2**	2**	D2992-1	Doubler
	1	1	1	D3085-041	Prop Assembly
	1*	1*	1*	D3015-3	Locknut
	1*	1*	1*	D3081-1	Prop Hinge
	1*	1*	1*	D3082-1	Clip
	1*	1*	1*	D3084-1	Prop Arm
	1*	1*	1*	AN4-5A	Bolt
	3*	3*	3*	AN960JD10	Washer
	3*	3*	3*	AN960JD10L	Washer
	2*	2*	2*	AN960JD416	Washer
	1*	1*	1*	AN960JD516L	Washer
	3*	3*	3*	MS21042L3	Nut (or MS21042-3)
	1*	1*	1*	MS21042L4	Nut (or MS21042-4)
	3*	3*	3*	MS27039-1-13	Screw
	1*	1*	1*	SL69-BS	Ball Stud
	6	6	6	AN3-4A	Bolt
3	3	3	3	AN960JD10	Washer
3	9	9	9	MS21042L3	Nut (or MS21042-3)
6	6	6	6	MS20470AD4-5	Rivet
3	3	3	3	MS27039-1-15	Screw

* Reference only. Included in D3085-041 Prop Assembly listed above.

** Reference only. Included in D2991-1/-2/-3 Doors listed above.